

# Indoors Outdoors Blinds & Shades

## Ziptrak Blinds – Technical Data Sheet

### Ziptrak

*No Zips - No Ropes - No Pulleys - No Buckles - No Straps - No Flapping -  
No Gaps on Sides - No Struggle*

#### **Ziptrak Track Guided Blind System**

What's unique about the Ziptrak Blind system and sets it apart from any other are its specifically designed slotted side tracks between which the blind glides smoothly and easily up and down and stop where you want it.

For many people it has been a difficult task to operate big window and pergola blinds. Conventional spring loaded blinds have to be pulled down and held down against the tension of the springs while the operator moves from side to side to fasten the bottom of the blind by means of buckles or leather straps. This is time consuming and cumbersome. That's why Ziptrak was developed.

Ziptrak blinds are available in the following fabrics

- ⊕ Clear PVC - for wind and rain protection
- ⊕ Tint PVC - wind, rain and glare reduction
- ⊕ ShadeView - create shade and keep your view
- ⊕ Soltis 86 and Soltis 92 - the Ferrari of Sun protection

Ziptrak can be fitted to face or reveal mounts and only works with rectangular openings. Hood boxes available.

***We measure, make and install these blinds.***



# Indoors Outdoors **Blinds & Shades**

## Zip Trak Blinds – Technical Data Sheet

---



### Size Limitations

Zip Trak Blinds can be made up to 4m wide and 3m Drop. We reserve the right to down size these limitations depending on location, structure and wind load. We warranty all sizes we make. We believe companies who will make a size above there size limitation on the condition that there is no warranty are disreputable and are acting outside of the fit for purpose legislation.



# Indoors Outdoors **Blinds & Shades**

## Zip Trak Blinds – Technical Data Sheet



### Obtaining a Quote

Call us on 1300 66 77 35 for a free measure and quote. Or measure the height at either end of the opening and the width at top and bottom. Measure exactly to the millimetre. Call us on 1300 66 77 35 and we will price the job on the phone.

### Clear, Tint or solid colours

We offer both the tint is more expensive Tint helps cut down the light passing through. Solid PVC (Full Block out) colours can be used for the total blind or part. Standard Colours are Ivory (Crème), Maroon and Dark Green. Non standard colours are additional, the non standard colours are teal, dark blue, black, gold, white, light blue and red.

### Wood, Metal, Masonry Structures

General we charge the standard installation price but we reserve the right on site inspection to charge additional for difficult work e.g. Structural steel and structural concrete. Very high jobs may also involve a scaffolding cost.

### Council Approval

No council approval is needed for domestic installation of this product. Some commercial jobs on street fronts may need to go through council. We can help with this process.

### ***Frequently Asked Questions***

#### ***What type of Clear PVC do you use?***

We are very particular and will only source our clear PVC from one company. It is Japanese film; they make the best film in the world. It is by no means the cheapest film we can source but it is the best.

#### ***What thickness and Grade?***

We use 0.75mm Film, it is always 1st grade. We have experience in using 1mm and 2mm films for commercial jobs on gearbox and motorized blinds. We consider these heavier films to be overkill and they make the blinds harder to roll up. Thicker films add considerably to the price as well. The industry standard is 0.75mm.

#### ***How are the blinds secured to my structure?***

We attach aluminium sail tracking to the top beam and side posts. We can attach to timber, metal and masonry. We have trouble attaching to thin air so we may need to have the structure modified to suit the product. We can arrange this.

#### ***Do you weld the seams on these blinds?***

Yes all seams and edging tapes are welded to ZipTrak Blinds.

#### ***Do you powder coat your components?***

Yes we powder coat all the components standard in the price. Some companies will charge up to \$5 a metre of this - so beware. Our standard colours are Smooth Crème, Caulfield Green, River gum green, Slate Grey, White, Heritage Red and we have a non powder coated anodized mill finish (silver in other words).

#### ***Will you blinds go yellow and brittle?***

Japanese film does not go yellow and brittle; we have been using the same supplier for 8 years and are happy to say that we have not had any blinds yellow or go brittle.

#### ***Do you have Clear, Tint or solid colours?***

We offer both the tint is more expensive Tint helps cut down the light passing through. Solid PVC (Full Block out) colours can be used for the total blind or part. Standard Colours are Ivory (Crème), Maroon and Dark Green. Non standard colours are additional, the non standard colours are teal, dark blue, black, gold, white, light blue and red.

# Indoors Outdoors **Blinds & Shades**

## Zip Trak Blinds – Technical Data Sheet

---

### ***Is there any cost difference if you are installing on wood, metal or masonry structures?***

Generally we charge the standard installation price but we reserve the right on site inspection to charge additional for difficult work e.g. Structural steel and structural concrete. Very high jobs may also involve a scaffolding cost.

### ***Do I need Council Approval?***

No council approval is needed for domestic installation of this product. Some commercial jobs on street fronts may need to go through council. We can help with this process. Commercial jobs may need to be approved in some council areas.

## **Care Instructions for Blinds**

The following Steps will prolong the life of your blinds and keep them looking good.

- ⊗ Leave the blinds rolled down and fastened as much as possible.
- ⊗ Wash blinds regularly with warm water and add a little dish washing detergent a car sponge and chamois can be used, nothing abrasive should be used
- ⊗ Try to roll and unroll in warmest part of the day
- ⊗ When rolling try to keep smooth and keep creases out, the blinds have a memory, sunlight will help remove any creases
- ⊗ Do not roll up when wet, if blinds appear white and milkish let the dry out and they will return to clear
- ⊗ When using hold up straps at top of blind make sure blind is not creased and release the pulley kit tension to minimize creasing

We recommend and sell Plexus Spray to rejuvenate Clear PVC Blinds

## **Technical Info**

Cafe Blinds are transparent, not reinforced, plastic film. As with all plastic it expands and contracts significantly with changes in temperature. Temperature also affects the flexibility of the film making it more difficult to operate when cold. Due to it being a non reinforced film (unlike canvas or reinforced PVC's it expands and contracts more than these traditional blind materials. The impact of expansion and contraction can be minimized by adopting the user guidelines above.

# Indoors Outdoors Blinds & Shades

## Zip Trak Blinds – Technical Data Sheet

---

### Installers

All of Indoors Outdoors installers have been thoroughly trained to the highest standard to qualify them to install Blinds and Awnings.

Indoors Outdoors Blinds and Shades does not use sub contractors. All installers have undergone police clearances.

We also have \$10 Million of public liability insurance.

